



features



Double wall
drawer



Full
Extension



Concealed Slides
Side Mount



Soft
Close



Push-to-Open
(Optional)

advantages

- Tool free front and gallery rail fixings come standard
- Runners and slides are concealed, giving the drawer a cleaner look
- Side adjustment is accessed from the right profile only
- Built in soft closing mechanism
- Fully synchronised soft close drawer and no knocking noise
- 2D adjustment on standard drawer (side and height)
- 3D adjustment on pot drawers (side, height and tilt adjustment through the gallery rail)

SMOOTH







- Optimal soft closing operation
- Load capacity 40kg
- White finish
- Full extension synchronised drawer
- Tool-free assembly and removal of drawer
- Double wall drawer
- 2-dimensional front adjustment
Up/down adjustment ± 2 mm
(access from left and right profile)
Left/right adjustment ± 1.5 mm
(access from right profile only)

Nominal Length	Soft Closing					Push-to-Open
	Profile			Medium	High Pot Drawer	Profile
	68 mm	83 mm	115 mm	135 mm	199 mm	83 mm
	Set A	Set A	Set A	Set B	Set D	Set A
270mm		B01270A	B02270A			
300mm		B01300A	B02300A			B513004A
350mm		B01350A	B02350A	B01350B	B01350D	B513504A
400mm		B01400A	B02400A	B01400B	B01400D	B514004A
450mm	B004504A	B01450A	B02450A	B01450B	B01450D	B514504A
500mm	B005004A	B01500A	B02500A	B01500B	B01500D	B515004A
550mm		B01550A	B02550A	B01550B	B01550D	B515504A
600mm		B01600A	B02600A	Use Set B components	Use Set D components	



Set A - Comes complete drawer with easy fix front brackets **Set B** - Set A (83mm) plus easy fix gallery rails & medium back brackets **Set D** - Set A (83mm) plus easy fix gallery rails & high back brackets.

115mm - Optional medium pot drawer will require additional 167mm back bracket and easy fix gallery rail.



*Synchronisation Rod (M0FH02) is needed for drawers with width of 600mm or wider for Push-to-Open mechanism to work.




Installation dimensions



Screw position of the slides (mm)





Bottom panel pre-drilling




Cutting dimensions for 16mm chipboard


KB: Cabinet width
 LW: Internal cabinet width
 NL: Nominal length




Inner panel and Inner rail cutting dimension




Smooth B00 Drawer- 68mm height




Smooth B01 Drawer- 135mm height




Smooth B01 Drawer- 83mm height




Smooth B02 Drawer- 167mm height




Smooth B02 Drawer- 115mm height




Smooth B01 Drawer- 199mm height




Installation Instruction




Adjustment




Removal




Standard Drawer- 68, 83 & 115 mm (B00, B01 & B02 series)




Medium Pot Drawer- 135 & 167 mm (B01 & B02 series)




High Pot Drawer- 199 mm (B01 series) with double gallery rail option





High Pot Drawer Installation with side wings



Standard Drawer Inner Drawer Installation



High Pot Drawer Inner Drawer Installation with double box side



Push to open trigger range

