



features



Double wall
drawer



Full
Extension



Concealed Slides
Side Mount



Soft
Close



Push-to-Open
(Optional)

SMOOTH

- Optimal soft closing operation
- Load capacity 40kg
- White finish
- Full extension synchronised drawer
- Tool-free assembly and removal of drawer
- 2-dimensional front adjustment
- Double wall drawer

advantages

- Tool free front and gallery rail fixings come standard
- Runners and slides are concealed, giving the drawer a cleaner look
- Side adjustment is accessed from the right profile only
- Built in soft closing mechanism
- Fully synchronised soft close drawer and no knocking noise
- 2D adjustment on standard drawer
- 3D adjustment on pot drawers

Nominal Length	Standard			Medium	High Pot Drawer
	68 mm	83 mm	115 mm	83 mm	83 mm
	Set A	Set A	Set A	Set B	Set D
270 mm		B01270A	B02270A		
300 mm		B01300A	B02300A		
350 mm		B01350A	B02350A	B01350B	B01350D
400 mm		B01400A	B02400A	B01400B	B01400D
450 mm	B004504A	B01450A	B02450A	B01450B	B01450D
500 mm	B005004A	B01500A	B02500A	B01500B	B01500D
550 mm		B01550A	B02550A	B01550B	B01550D
600 mm		B01600A	B02600A	B01600B	B01600D


Set A - Comes complete drawer with easy fix front brackets

Set B - Set A plus easy fix gallery rails & medium back brackets


Set D - Set A plus easy fix gallery rails & high back brackets

*Synchronisation Rod (M0FH02) is needed for drawers with width of 600mm or wider for Push-to-Open mechanism to work.


Smooth 68mm height- B00 63mm Profile




Smooth 135mm height- B01 83mm Profile




Smooth 83mm height-B01 83mm Profile




Smooth 167mm height-B02 115mm Profile





Smooth 115mm height- B02 115mm Profile





Smooth 199mm height- B01 83mm Profile




Installation dimensions



Screw position of the slides (mm)





Bottom panel pre-drilling




Cutting dimensions for 16mm chipboard


KB: Cabinet width
 LW: Internal cabinet width
 NL: Nominal length




Smooth B00 Drawer- 68mm height




Smooth B01 Drawer- 135mm height




Smooth B01 Drawer- 83mm height




Smooth B02 Drawer- 167mm height




Smooth B02 Drawer- 115mm height



Smooth B01 Drawer- 199mm height




Installation Instruction



Back assembly


Bottom assembly



Fix screws

Front assembly

Adjustment




Left & right adjustment

Up & down adjustment

Slide into the cabinet

Removal




Tip up the cover and pull out

Turn screw driver to release the drawer front


Lift the release handle and out Pull the drawer

Standard Drawer- 68, 83 & 115 mm (B00, B01 & B02 series)



Front assembly

Medium Pot Drawer- 135 & 167 mm (B01 & B02 series)




Front assembly

Back assembly

Fit the front


High Pot Drawer- 199 mm (B01 series)



Back assembly


Fit the front

Inner Drawer Installation



Front assembly


High Pot Drawer Installation with side wings



Fit the front

Back assembly


Side assembly



Side assembly

Side assembly

High Pot Drawer Inner Drawer Installation with double box side




Fit the front

Side assembly


Fit the front

Glass-boxside Medium Pot Drawer 83mm profile



Fit the front

Glass-boxside High Pot Drawer 83mm profile




Fit the front

Back assembly

Side assembly

Glass-boxside High Pot Inner Drawer 83mm profile




Fit the front

Back assembly

Side assembly

Glass-boxside High Pot Inner Drawer 83mm profile



Fit the front

Side assembly

Fit the front

Push to open trigger range

