


look inside



nikpol

dtc css sliding door system
installation instructions




track-pro css series soft-close sliding door system

Experience smooth and controlled door operation with a patented damper design, ensuring gentle opening and closing. A secure catching mechanism prevents disengagement, while the double-roller damper trigger enhances stability and seamless movement. The bottom roller's unique eccentric disc design allows for precise height adjustments, featuring 9mm sprung and 4mm eccentric adjustments, totaling 13mm for added convenience.



css two-way soft-close, insert-type roller, for wood door $\geq 16\text{mm}$ thick

css series folding sliding door system

Code	Door Weight (KG)	Set/ctn
DTCWCSS01A	5~15	10
DTCWCSS01B	15~30	10
DTCWCSS01C	30~50	10




kit package includes



sliding door installation dimensions (mm)


H = wardrobe internal height
h = door height
LT = wardrobe internal depth
T = door thickness

Wardrobe internal depth:
LT = 95(min)
Door height: h = H-15
Door thickness: T_≥16
Distance from door bottom
to bottom track surface: 2~11





sliding door installation dimensions (mm)



W = door width
L = wardrobe internal width
Door Width: $W = L/2 + 15$
Door self closing distance $K = 50$



sliding door drilling dimensions (mm)




top and bottom track installation dimensions(mm)




Top and Bottom Track
Silver
Code: DTCWCSSDG01C
Pcs/ctn: 20
Length: 3m

assembly and adjustment


css series installation




1. Install damper




2. Install the track




3. Install insert-type roller



4. Mount the door




5. Push the door to the fully close position and locate the position for the damper



6. Pull the door open, then fix the damper with an allen key

css series adjustment



Insert-type roller adjustment



dtc css sliding door system installation instructions

Published September, 2026



Proudly supplying DTC Hardware and
Blaupunkt Kitchen Appliances



Phone: 1300 645 765
Website: www.nikpol.com.au
Email: sales@nikpol.com.au

VIC
6-12 Fairchild Street
Heatherton VIC 3202

QLD
19 William Farrior Place
Eagle Farm QLD 4009

NSW
Unit 2, 48-52 Lyn Parade
Prestons NSW 2170

