look inside




nikpol dtc cf sliding door system installation instructions




track-pro cf series folding sliding door system

Designed for effortless opening with a folded mechanism, this system offers precise adjustments for a perfect fit. Height adjustment of ±2mm and depth adjustment of ±3mm/-2mm ensure flexibility, accommodating door thicknesses from 16-25mm and supporting door heights up to 2800mm.

cf series side mounted folding door with 4 door panels for 16-25mm thick doors




kit package includes:



planning


cabinet dimensions (mm)



folding door driling dimensions (mm)


X = Top panel thickness


H = Height from wardrobe top panel to bottom panel



* 11.5mm deep, 35mm diameter hinge roller holes

top/bottom track (mm)






Top Track Silver Item No: DTCWCFDGAC Pcs/ctn: 10 Length: 3m

Bottom Track Silver Item No: DTCWCFDGBC Pcs/ctn: 10 Length: 3m

door installation (mm)




folding door installation dimensions (mm)

N = Number of door W = Weight of door


S = Door overlay

L = Cabinet external witdth





assembly and adjustment

assembly for cf series side mounted foliding door stystem of two doors




Centre folding hinge installation dimensions







Hinge and centre folding hinge assembly



Install top and bottom track




Install hinge plate




Hang door **B** top roller into the top track

Fix the hanger firmly with screws




Fix the folding centre hinge with connecting shaft


assembly for cf series side mounted foliding door stystem of two doors



Pull the lever to attach the bottom roller into the bottom track

adjustment







Nikpol Pty. Ltd.

dtc cf sliding door system installation instructions

The colours shown in this flyer are an indication of the actual colour, for the most accurate colour-match sample, please visit the Nikpol website to order colour samples at www.nikpol.com.au

Tel1300 645 765Webwww.nikpol.com.auEmailsales@nikpol.com.au

Head Office (VIC) 6-12 Fairchild Street Heatherton VIC 3202 **QLD** 19 William Farrior Place Eagle Farm QLD 4009