

nikpol

shelf locking device

Shelf Locking Device

Suits Magic Move and D-Motion undermount runners, delivering smooth, soft- close operation. It enables custom drawer designs without rebates - simplifying installation while maintaining a clean, seamless look.

Specifications:

Mounting: Bottom mounting

Benefit: Shelf system self locks once positioned on slide

Minimum drawer front height: 40mm

Shelf Locking Device:



Code	Specifications
1. DTCHT10075	Shelf locking sync rod, 1100mm long
2. DTCOSSDW01	Shelf locking device
3. DTCOTSD08	Front locking device

Runners sold separately




Shelf Locking Device Installation Instructions


nikpol[®]

Installation dimensions

NL=Nominal Slide Length
LT=Internal Cabinet Depth
TBL=Shelf Base Length




NL=Nominal Slide Length
LT=Internal Cabinet Depth
TBL=Shelf Base Length




Installation dimensions

SKW=Internal Drawer Width
LW=Internal Cabinet Width
TB=Shelf Width




Installation Dimensions (mm)



Shelf preparation (mm)


NL=Nominal Slide Length
LW=Internal Cabinet Width
TB=Shelf Width
X=Front Thickness



Shelf Locking Device Installation Instructions


nikpol[®]

Drawer Assembly with 3D Adjustment Locking Device



Hold the handle and push in the shelf

Removal



Hold the handle and pull out the shelf

For removal, hold the handle and pull out the shelf