


Nikpol Online Benchtop Designer

Table of Contents

How to access Online Benchtop Designer	2
How to draw a benchtop	3
Laminate	5
Bench Design.....	6
Measurement.....	7
Joins.....	8
Options.....	9
Edges	10
Adding ABS back edge to a Radius front profile section.....	11
Corners.....	12
Adding a Sink cutout	13
Summary	15
Your Cart	17
Delivery Options.....	19
Payment Rules.....	20
Open an old quote	22
Quotes that contain backordered discontinued colours	25
Compact Laminate Benchtops	27
FAQ.....	32


How to access Online Benchtop Designer

1. Trade Customers must already be logged into Nikpol's e-commerce website (<https://nikpol.com.au/Account/CustomerLogin>)




The screenshot shows the Nikpol website's login page. At the top, there is a navigation bar with links for Samples, Locations, and Contact. Below this is a dark header with the Nikpol logo and a menu including PRODUCTS, COLOURS, SERVICES, DISCOVER, VIRTUAL SHOWROOMS, and ABOUT US. A 'Download Brochures' button is also present. The main content area features a heading 'DON'T HAVE A NIKPOL ACCOUNT YET?' with a 'GET AN ACCOUNT HERE' button. Below this is a login form with fields for 'Email *' and 'Password *', a 'LOGIN' button, and a 'Forgot your password?' link. On the right side, there is a vertical sidebar with icons for search, login, a shopping cart with '0' items, and a shopping bag with '0' items.

2. Customer will navigate to the Online Benchtop Designer portal from:
 - a. clicking the quick link at the top of the Nikpol website:




- b. Or navigating there from the Benchtops page <https://nikpol.com.au/Services/Benchtops>




How to draw a benchtop

1. Customer's landing page.




2. Customer can search for existing colours either:


- Scrolling through all colours on the page.
- Clicking on any of the colour families towards the top of the page.



c. Using the search function on the right hand side of the screen.




- Customer can see all the current available sizes and profiles per colour by clicking on the information symbol on the bottom right corner of each colour swatch.




BRERA GREY									
Colour :		Brera Grey							
Finish :		HG							
38 mm					20 mm				
3600 x 1300 mm	3600 x 900 mm	3600 x 600 mm	3600 x 900 mm	3600 x 600 mm	3600 x 1300 mm	3600 x 900 mm	3600 x 600 mm	3600 x 900 mm	3600 x 600 mm
2 Long Sides	Double Roll	Single Roll	Double Roll	Single Roll	2 Long Sides	Double Roll	Single Roll	Single Roll	Double Roll
ABS	ABS	ABS	2.5	2.5	ABS	ABS	ABS	2.5	2.5

Laminate

4. Select your chosen laminate colour with a 'tick'.




Then click "Save & Next" in the top right of the banner.



Bench Design


5. Select one of the pre-defined benchtop designs.



Click "Save & Next".

Measurement

6. Enter the dimensions as millimetres in all the dimension boxes according to the requirements.



Click "Save & Next".

Joins

7. Select where you want the joins (where applicable) for the benchtops.


Click “Save & Next”.

Options

8. Select the available front profile and thickness from the menu on the right. This needs to be selected for each section.

In this example, there is a requirement for a butt join between sections 1 and 2. If you are happy where the designer has placed the butt join, you can leave the “Please enter section Length” fields as they are.

Otherwise please enter the section lengths required remembering to add an extra 20mm if there is a male mason mitre join.



The diagram shows a bench layout with the following dimensions and labels:

- Overall width: 5150mm (A)
- Section 1 width: 3600mm
- Section 2 width: 970mm
- Section 3 width: 600mm (C)
- Section 4 width: 600mm (G)
- Overall height: 1800mm (H)
- Section 1 height: 900mm (B1)
- Section 2 height: 2756mm (B)
- Section 3 height: 1856mm (D)
- Section 4 height: 900mm (L)
- Section 1 length: 3950mm (E)


On the right, the "Please select options" panel shows settings for four sections:

- Section 1,2**: Radius 2.5, Thickness 20, ABS material.
- Section 3**: Radius 2.5, Thickness 20, ABS material.
- Section 4**: Radius 2.5, Thickness 20, ABS material.

Below this, the "Please enter section Length" panel shows:


- Section 1: 3600
- Section 2: 970

When you make a change to the section lengths the page will add a “Click Here to Validate Sections & Preview” button. If the lengths you have entered for the butt join do not add up to the overall length you will get a warning. You will not be able to move onto the next page unless this is correct.



The screenshot shows the nikpol Benchtop Designer software interface. The top navigation bar includes tabs for Laminate, Bench Design, Measurement, Joins, Options (selected), Edges, Corners, and Summary. The Options tab is active, displaying the same bench layout diagram as the previous image. The "Please select options" panel on the right shows the same settings for Sections 1, 2, 3, and 4. The "Please enter section Length" panel shows Section 1 as 3500 and Section 2 as 970. A yellow box highlights a button labeled "Click Here To Validate Sections & Preview".


Here is an example of error message.



Once you are happy with your dimensions, click “Save & Next”.

Edges


9. If ABS edging is required on any edge, click to select where to add the edging.



Please note: The back edge of section 1 is already edged by default as it is 900mm wide. You have the option of leaving it edged or you can choose to remove the edge by clicking on the 'W'.


Adding ABS back edge to a Radius front profile section

10. When adding an ABS rear edge to a section that has a radius front profile will show a warning.



You have three choices:

- a. Yes – This will draw the section with a front radius profile and allow an ABS square rear edge
- b. No – This will create another pop-up window




You have three choices:

- i. Yes – This will show the section now with an ABS edge added to both the front (after removing the radius profile) and rear edge
- ii. No – This will show the section as having a front radius profile and an ABS rear edge
- iii. Cancel – Takes you back to the Edges page with a rear ABS edge selected.
- c. Cancel – Takes you back to the Edges page with a rear ABS edge selected.

You can always remove the edge by simply clicking on it again and removing the tick.
Click "Save & Next".

Corners

11. You can select to add either a Dog leg/Safety corner or a Corner Cutout by clicking on the corner where required.




A pop-up window will appear asking to make your choices.

The pop-up window is titled "Corner" and "Corner H to A". It has a close button (X) in the top right corner. There are two radio buttons: "Cut out" (selected) and "Dog leg/Safety corner". Below the radio buttons are two input fields: "Length H" with the value 450 and "Length A" with the value 120. There are two radio buttons: "Seen" (selected) and "Raw". At the bottom is a "Set Corner" button.

You can add your dimensions for a Corner Cutout as above.

Click "Set Corner" after entering your corner details to return to the Corner page.


Dog leg/Safety corners are predefined, and the dimensions can not be modified (100mm x 30mm).




Click "Save & Next".

Adding a Sink cutout

Nikpol have added the functionality to add 1 cutout per section. This function has been added to the newly renamed tab "Corners/Sinks".




1. Click on the '+' icon to add a cutout to a benchtop.
2. Enter the dimensions in the 'Length' and 'Width' boxes in millimetres. Then click 'Set Cutout' to add the cutout to the benchtop.



- The cutout will be placed in the middle of the benchtop section ready for you to move it within the section to your desired position.


There is a display in the top right hand corner of the drawing to remind you of your cutout dimensions per section.



- You are able to move each cutout within the section by using your mouse to grab and move it about (your mouse cursor will change to a white, arrowed crosshair).



- You are restricted to move the cutout within the light blue dotted line. The light blue line is a 'buffer zone'; 100mm from either left and right edge and 50mm from the front or rear edge.



- We have also added the functionality to also move the cutout with greater precision by using your keyboard's arrow keys (up, down, left and right).


Once you are satisfied of where the cutouts are placed, click 'Save & Next' to progress to the Summary page.

Summary

12. The completed quote and final diagram will appear on this page.

Customer will be required to enter a Purchase Order number (up to 35 characters) before being able to either print the quote or add the item to the shopping cart.

There is also a "Comments / Technical requirements" box where customers can add further comments if required.



Technical diagram of a window frame assembly. The diagram shows a cross-section of the frame with various dimensions and labels. Key dimensions include: 510mm (total width), 1370mm (width of section 1), 320mm (width of section 2), 600mm (width of section 3), 390mm (width of section 4), 100mm (height of section 1), 270mm (height of section 2), 350mm (height of section 3), and 600mm (height of section 4). Labels include: 1, 2, 3, 4 (sections), A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, and a note: 'Cut Out Corner H-A 450MM 120MM'.

Comments/Technical requirements (Max 200 length of string)

This quote is to be supplied to a residential address.
There will not be a forklift available.

Brera Grey

PO Number

PN123456789

Description	Qty	Rate	Discount	Price
Section No 1 Brera Grey 38mm Width: 900mm Profile : 2.5mm Code : PFWTMS164900	1.370			
Section No 2 Brera Grey 38mm Width: 900mm Profile : 2.5mm Code : PFWTMS164900	3.200			
Section No 3 Brera Grey 38mm Width: 600mm Profile : 2.5mm Code : PFWTMS164600	2.756			
Section No 4 Brera Grey 38mm Width: 600mm Profile : 2.5mm Code : PFWTMS164600	1.800			
Total Rear ABS Edge	1.800			
Total Square End ABS Edge	2.000			
Corner Cut out H-A 450MM 120MM	1			
Corner Dog Leg/ Safety Corner	2			
Butt Straight Join	1			
Z Mitre Join	1			
Masons Mitre Join	1			
Section Qty: 4				

Print To PDF



Add to Cart

Net Total

GST (10.00%)

Grand Total

13. Clicking “Print to PDF” will create a pdf and save it to the user’s downloads folder.



The pdf is a two page document with one page showing the drawing and the second page showing the sections and pricing.

Brera Grey 38mm

Customer Code: ALLB00
PO Number: PN123456789

Comments / Technical requirements
This quote is to be supplied to a residential address.
There will not be a forklift available.

Nikpol Quote 25/01/2023

Page 1 (of 2)

Description	Qty	Rate	Discount	Price
Section No 1 Brera Grey 38mm Width: 900mm Profile: 2.5mm Code: PFWTM5164900	1.370			
Section No 2 Brera Grey 38mm Width: 900mm Profile: 2.5mm Code: PFWTM5164900	3.200			
Section No 3 Brera Grey 38mm Width: 600mm Profile: 2.5mm Code: PFWTM5164600	2.756			
Section No 4 Brera Grey 38mm Width: 600mm Profile: 2.5mm Code: PFWTM5164600	1.800			
Total Rear ABS Edge	1.800			
Total Square End ABS Edge	2.000			
Corner Cut out H-A 450MM 120MM	1			
Corner Dog Leg/ Safety Corner	2			
Butt Straight Join	1			
Z Mitre Join	1			
Masons Mitre Join	1			
Section Qty 4				
Net Total				
GST(10.00%)				
Grand Total				

Page 2 (of 2)

Now you can:

- Click “Add to Cart” to purchase this drawing/quote, or
- You can logout and your quote is saved to the “My Orders” section, or
- You can start a new order by clicking on “New Order”

Your Cart

14. You can see all items added to the cart. Customers can have more than one Purchase Order added to cart to purchase. Please limit this to 3 benchtops in the cart to minimise any possible process failures.


Normal Nikpol e-commerce payment rules apply.

The screenshot displays the 'Your Cart' interface. On the left, the 'Order Summary' section includes a table with columns: Product, PO Number, Qty, Unit Price, Discount, and Total Price. A single item, 'U-Shape Brera Grey' with PO Number 'PN123456789', is listed with a quantity of 1. Below the table is a 'Delivery Address' field with a 'Change' link. To the right of the table is a summary box showing 'Net Total', 'Shipping', 'GST 10.00%', and 'Grand Total'. A note states: '**Your benchtop will be dispatched 7 working days from the day the order has been processed with the manufacturer.' At the bottom of the summary section is a 'Go Back to Order' button. On the right side, the 'Customer Information' section has fields for 'Customer Name' and 'Phone Number'. Below this is the 'Payment Information' section, which includes logos for VISA, Mastercard, and Braintree. It features three radio buttons: 'PayPal', 'Credit Card (Braintree)' (which is selected), and 'On Account'. A 'Pay with card' section follows, with fields for 'Card Number', 'Expiration Date (MM/YY)', and 'CV (3 digits)'. A 'Pay Now' button is located below these fields. A disclaimer states: '*Please do not refresh or close the browser During the transaction until the order confirmation page appears.' The 'Shipping Method' section shows '\$0.00 - Standard *' and a note: '*Shipping fees may occur at the end of the month'. At the very bottom of the page is a copyright notice: 'Copyright © 2021 Nikpol Pty Ltd'.


15. If the customer wants to order multiples of the quote in the cart, they can click on the + icon to increase the number of the quote.

This screenshot is a closer view of the 'Your Cart' page, specifically the 'Order Summary' table. The table has columns: Product, PO Number, Qty, Unit Price, Discount, and Total Price. The item 'U-Shape Brera Grey' with PO Number 'PN123456789' is shown with a quantity of 1. The minus (-) and plus (+) icons in the 'Qty' column are highlighted with a yellow box, indicating how to adjust the quantity. An 'Add New Bench' button is visible at the bottom right of the table area.

When increasing the quantity with the + icon you will also notice the 'Total Price' increase.




Conversely, if you want to reduce the quantity of quotes to order click on the – icon to reduce. If you want to delete the quote from the order cart click the – icon to reduce quantity to 0 and you will receive a pop-up warning.



Delivery Options

16. Should you have more than one delivery address registered with Nikpol, you can select from the list once you click on the “Change” button. A pop-up window will appear with those same registered addresses to choose from.




A pop-up window titled "Change Address" with a close button (X) in the top right corner. It contains a list of three registered addresses, each preceded by a radio button. The first address is "6-12 FAIRCHILD ST, HEATHERTON, VIC, Australia, 3202" with an unchecked radio button. The second address is "19 WILLIAM FARRIOR PLACE, EAGLE FARM, QLD, Australia, 4009" with an unchecked radio button. The third address is "1 STREET, CITY LOCATION, VIC, Australia, 1000" with a checked radio button. A "Submit" button is located at the bottom right of the window.

Please note: Delivery fees may apply.

17. Rather than a Nikpol delivery, you may choose to collect your benchtop from Nikpol once it is completed. The only pickup address options are:

NIKPOL PTY LTD 6-12 FAIRCHILD STREET HEATHERTON VIC 3202	NIKPOL PTY LTD 19 WILLIAM FARRIOR PLACE EAGLE FARM QLD 4009
--	---


You can do this by clicking the “Pickup Address” radio button. One of the two Nikpol site addresses relevant to you will be displayed.



An "Order Summary" form. At the top, it shows a table with columns: Product, PO Number, Qty, Unit Price, Discount, and Total Price. The first row shows "U-Shape Blackwood Oak" with PO Number "PN123456789 v2", Qty "1", and blurred unit price, discount, and total price. Below the table is an "Add New Bench" button. Underneath, there are two radio buttons: "Delivery Address" (unchecked) and "Pickup Address" (checked and highlighted with a yellow box). Below the "Pickup Address" button, the address "6-12 FAIRCHILD STREET, HEATHERTON, VIC, Australia, 3202" is displayed. To the right, a summary box shows "Net Total", "Shipping", "GST 10.00%", and "Grand Total", all with blurred values. At the bottom, a note states: "**Your benchtop will be dispatched 7 working days from the day the order has been processed with the manufacturer."

Payment Rules

18. Depending on the account setup per customer (CBD or 30 Account) will depend on what payment methods are available.
- a. CBD Customer with order \leq \$1,000
 - i. Can pay via PayPal or Credit card only.
 - ii. Delivery fee is automatically added to the order cart.
 - b. CBD Customer with order $>$ \$1,000
 - i. Customer will receive a message: "Thank you for your order. Nikpol will contact you to process your order".
 - ii. Delivery fee is automatically added to the order cart.
 - c. 30 Day Account Customer with order \leq \$1,000
 - i. Can pay via PayPal, Credit card or On Nikpol Account (subject to credit check).
 - ii. No delivery fee is added to the order cart as this will be handled internally at Nikpol.
 - d. 30 Day Account Customer with order $>$ \$1,000
 - i. Only payment option available is On Nikpol Account (subject to credit check).
19. Once payment is successfully made, an Order Confirmation screen will appear to notify the customer of their order number.




The customer and Nikpol customer service will also receive an Order Confirmation via e-mail. Attached to the email will be a pdf attachment of the drawing created by the customer. If multiple quotes were added to the order, then each quote will have its own pdf.
Example:

Order has been successfully placed



Thank You! - [View your order details](#)
Your Order

If there are problems with how this message is displayed, click here to view it in a web browser.



nikpol

Order Details

Order Number 10113
Order Date 4/28/2021 10:59:02 AM

Customer Details

[View your order details](#) [Contact Nikpol Australia](#)

Delivery Address

[View your order details](#)
10000000
10000000
10000000
10000000
10000000

Order Details

Delivery Date 5/5/2021

Additional Information

Purchase Order Number PN123456789
Comments

Sr.No.	Product	PO Number	Qty	Unit Price	Discount	Total Price
1	Brera Grey H-A 450MM 120MM	PN123456789	1	1000.00	0.00	1000.00
Net Total						1000.00
Shinning						0.00
GST						0.00
Grand Total						1000.00

Payment Method

Credit Card (Briantree)

Thanks for shopping with Nikpol

www.nikpol.com.au




MESSAGE PROTECTED BY **PREMIER TECHNOLOGY SOLUTIONS** - POWERED BY **MAILGUARD**.
[Report this message as spam](#)


Open an old quote

You can open an old quote for review, finalising and adding to your cart.

1. From your log in landing page click on the 'My Orders' button in the top of the page.



2. Click on the 'Saved Quotes' button to see a chronological list of your quotes.



List of quotes. You can use the arrow buttons on the bottom right of the page to cycle through your list.

nikpol

Benchtop Designer

My Orders

New Order

Log Out

JORDY TEST CUSTOM





















My Orders

Placed Orders



Saved Quotes


Laminate/Quote No./PO No.

Select Date Range

Quote No.	Quote Date	Shape Name	PO No.	Laminate	Action
1091591	15 Nov 2024	U-Shape	Test for job instruction	White Iceberg Marble	 
1091590	14 Nov 2024	U-Shape		Arabescato	 
1091589	14 Nov 2024	U-Shape		Arabescato	 
1091588	14 Nov 2024	U-Shape		Arabescato	 
1091586	13 Nov 2024	U-Shape	Jordy TEst for Compact	White Iceberg Marble	 
1081594	13 Nov 2024	U-Shape		Bamboo	 
1081593	13 Nov 2024	U-Shape		Brera Grey	 
1081592	13 Nov 2024	Island		Compact Calacatta Olympus	 
1081591	13 Nov 2024	U-Shape		Arabescato	 
1081590	13 Nov 2024	Island		Arabescato	 

Showing 1 to 10 of 1,652 entries

3. Click on the 'eye'  symbol to view our quote at the stage you previously left it.

nikpol

Benchtop Designer

My Orders

New Order

Log Out

JORDY TEST CUSTOM





My Orders

Placed Orders

Saved Quotes

Laminate/Quote No./PO No.

Select Date Range

Quote No.	Quote Date	Shape Name	PO No.	Laminate	Action
1091591	15 Nov 2024	U-Shape	Test for job instruction	White Iceberg Marble	<div>1</div>  
1091590	14 Nov 2024	U-Shape		Arabescato	 

4. Here is an example of a previous quote I restored.


nikpol

Benchtop Designer

My OrdersNew OrderLog OutJORDY TEST CUSTOM


LaminateBench DesignMeasurementJoinsOptionsEdgesCornersSummary

PreviousSummary



Comments/Technical requirements (Max 200 length of string)

White Iceberg Marble



PO Number

Test for job instruction

Description	Qty	Rate	Discount	Price
Section No 1				
White Iceberg Marble 12mm				
Width: 987mm	2.471			
Profile : SN				
Code : PFCPI2950313005N				
Section No 2				
White Iceberg Marble 12mm				
Width: 987mm	3.000			
Profile : SN				
Code : PFCPI2950313005N				
Section No 3				
White Iceberg Marble 12mm				
Width: 650mm	2.043			
Profile : SN				
Code : PFCPI295036505N				
Section No 4				
White Iceberg Marble 12mm				
Width: 450mm	1.950			
Profile : SN				
Code : PFCPI295036505N				
Total Shark Nose Edge Profile	1.100			
Total Shark Nose Rear Edge Profile	7.421			

5. From here you can add your quote to the cart as per any other order.

nikpol

Benchtop Designer

My OrdersNew OrderLog OutJORDY TEST CUSTOM

LaminateBench DesignMeasurementJoinsOptionsEdgesCornersSummary

PreviousSummary

Comments/Technical requirements (Max 200 length of string)

20241115 Test for job instruction

Profile : SN

Code : PFCPI295036505N

Section No 4

White Iceberg Marble 12mm

Width: 450mm

1.950

Profile : SN

Code : PFCPI295036505N

Total Shark Nose Edge Profile

1.100

Total Shark Nose Rear Edge Profile

7.421

Corner Cut out

A-B 300MM 300MM

1

Corner Radius 2mm

1

Corner Radius 12mm

2

Butt Straight Join

1

Z Mitre Join

1

Masons Mitre Join

1

Section Qty.

4

Print To PDF

Add to Cart

Net Total


GST (10.00%)

Grand Total


Copyright © 2024 Nikpol Pty Ltd

Quotes that contain backordered discontinued colours



1. If you have a quote that contains a backordered or discontinued colour, your page will give you a warning.
2. The experience is different depending on whether your quote was already in the cart or if your cart was at an earlier stage of drawing.
 - a. If you are finishing your drawing and you click to enter the 'Summary' stage of the drawing to show the quote values, you will see the following:



- b. If you viewing an item that in your cart and it contains a backordered or discontinued colour, you will see the following:



You will need to delete this item from your cart to continue with any purchases.
Click 'OK'.



Compact Laminate Benchtops

Creating an online benchtop order from the Compact Laminate family is not different to a particleboard laminated benchtop. Compact Laminate offers different edges and different safety corner / dog leg options. Here are the examples of what those look like:


Edge Profiles Available:




Corner Profiles Available:




1. You will see Compact Laminate available under its own product family. If you click on this the colours will be filtered to only Compact Laminates.




2. Select your colour from the Compact Laminate range.




3. The process for entering lengths, widths and joins are all the same, including butt joins.
4. When you get to the Options page, you will have the choice of Arris profile (A) or Shark nose (SN). All Compact Laminate are currently 12mm thick. Click on your choices and modify your butt join as per the normal process.




5. The process to add edging is the same; click on the circle where you want to add an edge, otherwise the edge will be raw cut compact laminate.



6. Click on a circle to see the options available for each corner. You can choose a 2mm or 12mm radius safety corner / dog leg as long as both sides of the corner already contain an edge. Here is an example of adding the 2mm radius corner.



- You can not add a safety corner if one of the edges does not have an Arris or Shark nose. You will still be able to add a corner cutout.



- The completed Summary page will appear the same too:

nikpol Benchtop Designer My Orders New Order Log Out JORDY TEST CUSTOM

Laminate Bench Design Measurement Joins Options Edges Corners **Summary**

[Previous](#) Summary

Comments/Technical requirements (Max 200 length of string)

Honey Castello Oak

PO Number

PO Number

Description	Qty	Rate	Discount	Price
Section No 1 Honey Castello Oak 12mm Width: 700mm Profile : SN Code : PFCPI2950013005N	1.020			
Section No 2 Honey Castello Oak 12mm Width: 700mm Profile : SN Code : PFCPI2950013005N	4.050			
Section No 3 Honey Castello Oak 12mm Width: 650mm Profile : SN Code : PFCPI295006505N	1.900			
Section No 4 Honey Castello Oak 12mm Width: 450mm Profile : SN Code : PFCPI295006505N	1.000			
Total Shark Nose Edge Profile	0.650			
Total Shark Nose Rear Edge Profile	1.900			
Corner Cut out H-A 150MM 390MM	1			
Corner Radius 2mm	1			
Butt Straight Join	1			
Z Mitre Join	1			
Masons Mitre Join	1			
Section Qty:	4			

Print To PDF

Add to Cart

Net Total
GST(10.00%)
Grand Total

FAQ

1. What if customer wants to make an order with more than one island benchtop or what if they want a 'U Shaped benchtop' with an additional Island benchtop?

Customer can create multiple orders and identify them as part of the same order either via the PO Number (limited to 35 characters) or use the Comments section on the "Summary" Page.